



4mykid ApS
Attn.: Anders Jørgensen
Holmensvej 36 A
DK-3600 Frederikssund

Order no. 412419
Page 1 of 1
Appendices 2
Initials laha/flg/hbs

Gregersensvej
DK-2630 Taastrup
Tel. +45 72 20 20 00
Fax +45 72 20 20 19

info@teknologisk.dk
www.teknologisk.dk

Test Report

Material: Model: PlayTray

Type:	Tray to children's high chair			Lab.no.:	412419
Length:	516 mm	Width:	484 mm	Height:	40 mm
Weight:	1,45 kg				
Materials:	Die cast plastic				

Sampling: The test material was sampled by the client and received at the Danish Technological Institute 15-12-2010.

Method: EN 14988-1:2006 Children's high chairs - Part 1: Safety requirements.

Period: The testing was carried out from 15-12-2010 to 18-01-2011.

Result: Model PlayTray fulfils the requirements in EN 14988-1:2006 Children's high chairs - Part 1: Safety requirements.
Individual results appear from Appendix 1.

Storage: The test material will be destroyed after 1 month, unless otherwise agreed.

Terms: The test has been performed according to the attached conditions, which are according to the guidelines laid down by DANAK (The Danish Accreditation). The testing is only valid for the tested specimen. The test report may only be extracted, if the laboratory has approved the extract.

Software: This report was generated by software version 2.07 of 2010-10-29.

19-01-2011, Danish Technological Institute, Wood Technology, Taastrup

Lars Hansen
Test responsible

Flemming Grauslund
Co-reader

Report no. 412419
 Appendix 1
 Page 1 of 2
 Initials laha/flg/hbs

**Test of model: PlayTray
 Lab. no.: 412419**

Test	Clause in test method EN 14988-2:2006	Result
4 Materials		
4.1 Materials and surfaces		N/A
5 Construction		
5.1 General		N/A
5.2 Holes, gaps and openings	6.6.2	Passed
5.3 Moveable parts		
5.3.1 Shear and squeeze points when setting up and folding away		N/A
5.3.2 Shear and squeeze points under the influence of powered mechanism	6.6.1	N/A
5.3.3 Shear and squeeze points under the influence of body weight or other external forces	6.6.1	Passed
5.4 Locking mechanisms for folding high chairs		
5.4.1 General		N/A
5.4.2 Incomplete deployment		N/A
5.4.3 Unintentional release of locking mechanism	6.6.3	N/A
5.4.4 Locking mechanism strength	6.4	N/A
5.5 Small parts	6.5	N/A
5.6 Restraint system	6.7, 6.8	N/A
5.7 Lateral protection	6.12	N/A
5.8 Back rest	6.9.1, 6.9.2, 6.9.3	N/A
5.9 Reclinable back rest	6.9.4	N/A
5.10 Seat front edge	6.9.4	N/A
5.11 Castors and wheels		N/A
5.12 Structural integrity	6.2, 6.10, 6.11, 6.14.1, 6.14.2, 6.14.3	Passed
5.13 Durability of locking mechanism	6.3	N/A
6 Stability		
6.2 Sideways	6.13.2	N/A
6.3 Rearwards	6.13.3	N/A
6.4 Forwards	6.13.4	N/A
6.5 Footrest	6.13.5	N/A
6.6 Tray	6.14.2	Passed
7 Packaging		N/A
8 Product information		

Report no. 412419
Appendix 1
Page 2 of 2
Initials laha/flg/hbs


**Test of model: PlayTray
Lab. no.: 412419**

Test	Clause in test method EN 14988-2:2006	Result
8.1 General		N/A
8.2 Marking		N/A
8.3 Instructions for use		N/A
8.3.1 Warnings		N/A
8.3.2 Additional information		N/A

Report no. 412419
Appendix 2
Page 1 of 1
Initials laha/flg/hbs

Test of model: PlayTray
Lab. no.: 412419

Photo



The general conditions pertaining to assignments accepted by Danish Technological Institute shall apply in full to the technical testing and calibration at Danish Technological Institute and to the completion of test reports and calibration certificates within the relevant field.

Danish Accreditation (DANAK)

DANAK was established in 1991 in pursuance of the Danish Act No. 394 of 13 June 1990 on the promotion of Trade and Industry.

The requirements to be met by accredited laboratories are laid down in the "Danish Agency for Trade and Industry's ("Erhvervsfremme Styrelsens") Statutory Order on accreditation of laboratories to perform testing etc. and GLP inspection. The statutory order refers to other documents, where the criteria for accreditation are specified further.

The standards DS/EN ISO/IEC 17025 "General requirements for the competence of testing and calibration laboratories" and DS/EN 45002 "General criteria for the assessment of testing laboratories" describe fundamental criteria for accreditation. DANAK uses guidance documents to clarify the requirements in the standards, where this is considered to be necessary. These will mainly be drawn up by the "European co-operation of Accreditation (EA)" or the "International Laboratory Accreditation Co-operation (ILAC)" with the purpose of obtaining uniform criteria for accreditation. In addition, DANAK draws up Technical Regulations with specific requirements for accreditation that are not contained in the standards.

In order for a laboratory to be accredited it is, among other things, required:

- that the laboratory and its personnel are not subject to any commercial, financial or other pressures, which might influence their technical judgement

- that the laboratory operates a documented quality system
- that the laboratory has at its disposal all items of equipment, facilities and premises required for correct performance of the service that it is accredited to perform
- that the laboratory management and personnel have technical competence and practical experience in performing the service that they are accredited to perform
- that the laboratory has procedures for traceability and uncertainty calculations
- that accredited testing or calibration is performed in accordance with fully validated and documented methods
- that the laboratory keeps records, which contain sufficient information to permit repetition of the accredited test or calibration
- that the laboratory is subject to surveillance by DANAK on a regular basis
- that the laboratory shall take out an insurance, which covers liability in connection with the performance of accredited services

Reports carrying DANAK's logo are used, when reporting accredited services and show that these have been performed in accordance with the rules for accreditation.